



MAHARAJA[®]
— WHITELINE —

KHUSHIYON KA HOMEMAKER



WATER HEATERS - AIR COOLERS - ROOM HEATERS

PRODUCT RANGE 2024-25

AIR COOLERS



MAXFROST 90

- Tall Design with 123 cm height
- High Cooling Efficiency
- Air Delivery: 4900 CMH & Air Throw: 52 ft
- Variable Fan Speed Control
- Motorised Vertical Louvers
- Dry Run Protected Submersible Pump
- Inverter Compatible



90L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Tank
Auto-Fill



Fully Shut
Louvers

90L - Dimensions (LxBxH in cm): 63 x 43 x 123 | Net Weight (kg): 15.8



AIR PRO 80

- Air Delivery: 5300 CMH & Air Throw: 45 ft
- Castor Wheels for easy portability with Locks (front two)
- High Cooling Efficiency
- Variable Fan Speed Control
- Motorised Vertical Louvers
- Dry Run Protected Submersible Pump
- Inverter Compatible



80L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Tank
Auto-Fill



Ice
Chamber

80L - Dimensions (LxWxH in cm): 64 x 43 x 121 | Net Weight (kg): 19.5



AIR PRO 60

- Air Delivery: 5300 CMH & Air Throw: 45 ft
- Castor Wheels for easy portability with Locks (front two)
- High Cooling Efficiency • Variable Fan Speed Control
- Motorised Vertical Louvers
- Dry Run Protected Submersible Pump
- Inverter Compatible



60L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Tank
Auto-Fill



Ice
Chamber

60L - Dimensions (LxWxH in cm): 64.5 x 44 x 110 | Net Weight (kg): 18.5

PROWAVE SUPER 65 REMOTE PROWAVE SUPER 65

- **Soft Touch Panel & Remote Control** (Prowave Super 65 Remote)
- **Air Delivery:** 5000 CMH & **Air Throw:** 52 ft
- **Sleek Design:** intelligently designed Air suction panel for maximized intake
- **High Cooling Efficiency** • **Motorised Vertical Louvers**
- **Dry Run Protected Submersible Pump**
- **Inverter Compatible**



65L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Ice
Chamber



Anti-Bacterial
Tank

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | **Net Weight (kg):** 15.8

HYBRIDCOOL 65 REMOTE HYBRIDCOOL 55 REMOTE

- **Soft Touch Panel & Remote Control**
- **Air Delivery:** 5000 CMH & **Air Throw:** 52 ft
- **Sleek Design:** intelligently designed Air suction panel for maximized intake
- **Exceptional Cooling Efficiency**
- **Motorised Vertical Louvers**
- **Dry Run Protected Submersible Pump**
- **Inverter Compatible**



65L & 55L
Water Tank
Capacity



Unique Hybrid
Cooling Tech
(Additional benefit
of 2 Cooling Pads)



Ice
Chamber



Anti-Bacterial
Tank

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | **Net Weight (kg):** 15.8
55L - Dimensions (LxWxH in cm): 60.2 x 45 x 118 | **Net Weight (kg):** 15.5

HYBRIDCOOL 65 HYBRIDCOOL 55

- **Air Deliver:** 5000 CMH & **Air Throw:** 52 ft
- **Exceptional Cooling efficiency**
- **Sleek Design:** intelligently designed Air suction panel for maximized intake
- **Motorised Vertical Louvers**
- **Dry Run Protected Submersible Pump**
- **Inverter Compatible**



65L & 55L
Water Tank
Capacity



Unique Hybrid
Cooling Tech
(Additional benefit
of 2 Cooling Pads)



Ice
Chamber



Anti-Bacterial
Tank

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | **Net Weight (kg):** 15.8
55L - Dimensions (LxWxH in cm): 60.2 x 45 x 118 | **Net Weight (kg):** 15.5



GLACIO PRIME 65

- **Air Delivery:** 4800 CMH & **Air Throw:** 43 ft
- **Sleek Design:** Intelligently designed Air suction panel for maximized intake
- **Variable Fan Speed Control.**
- **Motorised Vertical Louvers**
- **Dry Run Protected Submersible Pump**
- **Inverter Compatible**



65L
Water Tank
Capacity



Woodwool
Pads



Ice
Chamber



Anti-Bacterial
Tank

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | Net Weight (kg): 15.8

SUPER GRAND 70 PLUS SUPER GRAND 70

- **Air Delivery (Super Grand 70 Plus) :** 6000 CMH & **Air Throw:** 60 ft
- **Air Delivery (Super Grand 70):** 5000 CMH & **Air Throw:** 50 ft
- **Larger Fan size of 45.72cms resulting in higher air delivery and air throw** • **Aroma Chamber**
- **Variable Fan Speed Control with Stylish Chrome Knobs**
(Only with Super Grand 70 Plus)
- **Dry Run Protected Submersible Pump**
- **Anti-Bacterial Tank**



70L
Water Tank
Capacity



Honeycomb
Cooling Technology
(Only with Super Grand 70 Plus)



Woodwool
Pads
(Super Grand 70)



Tank
Auto-Fill



Dimensions (LxWxH in cm): 69 x 69 x 87

Net Weight (kg): 18.5 (Super Grand 70 Plus) | 18 (Super Grand 70)

Trolley Available. To be purchased separately

BRAVO HYBRIDCOOL 65 BRAVO PRIME

- **Air Delivery (Bravo Hybridcool 65) :** 5500 CMH & **Air Throw:** 54 ft
- **Air Delivery (Bravo Prime) :** 5100 CMH & **Air Throw:** 52 ft
- **Lagre Fan size of 45.72cms resulting in higher air delivery and air throw**
- **Aroma Chamber** • **Variable Fan speed control with Stylish Chrome Knobs (Bravo Hybridcool 65)**
- **Dry Run Protected Submersible Pump**
- **Anti-Bacterial Tank**



70L
Water Tank
Capacity



Honeycomb
Cooling Technology
(Only with Super Grand 70 Plus)



Woodwool
Pads
(Super Grand 70)



Tank
Auto-Fill



Dimensions (LxWxH in cm): 68 x 67 x 93

Net Weight (kg): 22.5 (Bravo Hybridcool 65) | 22.3 (Bravo Prime)

Trolley Available. To be purchased separately

FROSTAIR 45



- Air Delivery: 1900 CMH & Air Throw: 30 ft
- Eco-efficient Centrifugal Pump
- Variable Fan Speed Control
- Motorised Vertical Louvers
- Inverter Compatible
- Dry Run Protected Submersible Pump
- Anti-Bacterial Tank



42L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Ice
Chamber



Dust Filter
Net

42L - Dimensions (LxWxH in cm): 50 x 35 x 87 | Net Weight (kg): 10

FROSTAIR 25



- Air Delivery: 1900 CMH & Air Throw: 30 ft
- Eco-efficient Centrifugal Pump
- Variable Fan Speed Control
- Motorised Vertical Louvers
- Inverter Compatible
- Dry Run Protected Submersible Pump
- Anti-Bacterial Tank



22L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Ice
Chamber



Dust Filter
Net

22L - Dimensions (LxWxH in cm): 49 x 35.5 x 70 | Net Weight (kg): 9

Wooden/Chrome
Deco Panels



BLIZZARD DECO 55 REMOTE BLIZZARD DECO 25 REMOTE

- Soft Touch Panel & Remote Control
- Sleek, Tall Design with Premium Wooden Styled Panel with Chrome Inserts
- Air Delivery: 1600 CMH & Air Throw: 25 ft
- Eco-efficient Centrifugal Pump
- Dry Run Protected Submersible Pump
- Inverter Compatible



54L & 22L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Ice
Chamber



Dust Filter
Net

54L - Dimensions (LxWxH in cm): 38 x 44 x 129 | Net Weight (kg): 11.5
22L - Dimensions (LxWxH in cm): 36 x 37 x 97 | Net Weight (kg): 9.5

Wooden/Chrome
Deco Panels



BLIZZARD DECO 55 BLIZZARD DECO 25

- Sleek, Tall Design with Premium Wooden Styled Panel with Chrome Inserts
- Air Delivery: 1600 CMH & Air Throw: 25 ft
- Eco-efficient Centrifugal Pump
- Variable Fan Speed Control with Stylish Chrome Knobs
- Dry Run Protected Submersible Pump
- Inverter Compatible



54L & 22L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Ice
Chamber



Dust Filter
Net

54L - Dimensions (LxWxH in cm): 38 x 44 x 129 | Net Weight (kg): 11.5
22L - Dimensions (LxWxH in cm): 36 x 37 x 97 | Net Weight (kg): 9.5

ARROW DELUX

- Air Delivery: 2500 CMH & Air Throw: 35 ft
- Eco-efficient Centrifugal Pump
- Quadcool Technology for Maximum Cooling
- Variable Fan Speed Control
- Motorised Vertical Louvers



50L
Water Tank
Capacity



Woodwool
Pads



High
Air Delivery
2500 CMH



Quadcool
Technology

50L - Dimensions (LxWxH in cm): 62 x 53 x 55.6 | Net Weight (kg): 12.5

ROOM HEATERS

LAVA QUARTZ

Radiant Heater



- **Type:** Heater (Quartz)
- **Max. Wattage:** 1200W
- **No. of Rods/Setting:** 3/400W Each
- **ISI Certified**
- **Tip-Over Safety Switch**



Low Glare
High Comfort



1 Year
Warranty



Advanced
Heating
Technology



Shock Proof
Body

FLARE EVO

Convactor Heater



- **Type:** Heat Convactor
- **Max. Wattage:** 2000W
- **No. of Setting:** 2 Settings
- **ISI Certified**
- **Variable Fan Setting**



Advanced
Heating
Technology



1 Year
Warranty



Horizontal
and Vertical
Standing



Variable
Thermostat
Setting

ROOM HEATERS

LAVA HALOGEN

Infrared Heater



- **Type:** Halogen
- **Max. Wattage:** 1200W
- **No. of Rods/Setting:** 3/400W Each
- ISI Certified
- Oscillation
- Tip-Over Safety Switch



180° Heat Distribution



1 Year Warranty



Low Glare High Comfort



Advanced Heating Technology

QUATO

Radiant Heater



- **Type:** Quartz
- **Max. Wattage:** 800W
- **No. of Rods/Setting:** 2/400W Each
- ISI Certified
- Tip-Over Safety Switch



Multi - Heat Setting



1 Year Warranty



Low Glare High Comfort



Advanced Heating Technology

FLARE 2000T

Convactor Heater



- Type:** Heat Converter
- **Max. Wattage:** 2000W
- **No. of Setting:** 2 Settings
- Adjustable Thermostat
- Auto Cut-off
- ISI Certified



Multi - Heat Setting



1 Year Warranty



Advanced Heating Technology



Shock Proof Body

Heating Rods are covered under warranty.



OMIFLUX

Infrared Heater

- **Type:** Carbon
- **Max. Wattage:** 1000W
- **No. of Rods/Setting:** 2/500W Each
- **ISI Certified**
- **Oscillation**
- **Tip-Over Safety Switch**



180° Heat
Distribution



1 Year
Warranty



Low Glare
High Comfort



Advanced
Heating
Technology

NANO CARBON

Infrared Heater

- Type:** Carbon
- **Max. Wattage:** 500W
- **No. of Rods/Setting:** 1/500W
- **ISI Certified**
- **Tip-Over Safety Switch**



Low Glare
High Comfort



1 Year
Warranty



Advanced
Heating
Technology



Shock Proof
Body

WATER HEATERS

CUATRO

Storage Water Heater

- 8 Bar Working Pressure
- Rust & Shock Proof Plastic Body
- Incoloy Glasslined Heating Element
 - Reduces scale formation
 - Ensures longer element life even in hard water areas
- Rated Power 2kW
- Multi-layer Safety
- Smart Water Inlet Diffuser



LED
Smart Indicator

Available in
15L & 25L



Glasslined
Tank Coating



7
Years
On
Tank



3
Years
On Heating
Element



2
Years
On
Product

Warranty

WARMIST NEO PLUS

Storage Water Heater

- 8 Bar Working Pressure
- Rust & Shock Proof Plastic Body
- Incoloy Glasslined Heating Element
 - Reduces scale formation
 - Ensures longer element life even in hard water areas
- Rated Power 2kW
- Multi-layer Safety
- Smart Water Inlet Diffuser



Available in
10L, 15L & 25L



Glasslined
Tank Coating



7
Years
On
Tank



3
Years
On Heating
Element



2
Years
On
Product

Warranty

AQUIS NEO PLUS

Storage Water Heater

- 8 Bar Working Pressure
- Rust & Shock Proof Metal Body
- Incoloy Glasslined Heating Element
 - Reduces scale formation
 - Ensures longer element life even in hard water areas
- Rated Power 2kW
- Multi-layer Safety
- Smart Water Inlet Diffuser



Available in
10L, 15L & 25L



Glasslined
Tank Coating



5
Years
On
Tank



3
Years
On Heating
Element



2
Years
On
Product

Warranty



Available in 10L, 15L & 25L



EDNIS NEO

Storage Water Heater

- 8 Bar Working Pressure
- Rust & Shock Proof Metal Body
- Polymer Coated Tank
- Rated Power 2kW
- Multi-layer Safety
- Smart Water Inlet Diffuser



Polymer Coated Tank



5 Years On Tank



3 Years On Heating Element



2 Years On Product

Warranty



Available in 3L & 5L

FIESTA EVO

Instant Water Heater

- 6.5 Bar Working Pressure
- Rust & Shock Proof Plastic Body
- Rated Power 3kW
- Multi-layer Safety
- Smart Indicator



5 Years On Tank



2 Years On Heating Element



2 Years On Product

Warranty



GROUPE SEB INDIA PVT. LTD.

215-220, Vipul Plaza, Suncity, Golf Course Road,
Sector -54, Gurugram, 122011, Haryana, India

MAHARAJA CARE:  8860505777, 8860555777  8860555777

www.maharajawhiteline.com