



MAHARAJA
—WHITELINE—

PRESENTING
— THE —
**COOLING KA
MAHARAJA**
RANGE OF AIR COOLERS





WHY you should bring home a Maharaja Whiteline Air Cooler

**40 YEARS OF
TRUST**



**MADE BY
EXPERTS**

With in-house design,
R&D and manufacturing
Maharaja Whiteline
brings you the
best in class cooler



**500+
DISTRIBUTION
POINTS
&
40,000
RETAIL TOUCH
POINTS**




**100+
QUALITY CHECKS**

to ensure
performance and
durability



**340+
AUTHORIZED
SERVICE CENTERS**

to always ensure quick
addressal and great
service experience





FOR HIGH AND LONG LASTING EFFICIENCY

WOODWOOL
EFFICIENT &
HIGH COOLING

HONEYCOMB
DURABLE &
HIGH AIR THROW

**HIGH AIR
SUCTION**

**HIGH COOL AIR
THROW**

DIGITAL TOUCH PANEL

Scratch resistant soft touch
button for easy control.

**Air Cooler with
combination of unique
Hybrid Cooling Technology**

Ideal for every home in summers, Maharaja Whiteline Air Coolers are equipped with dual cooling pads, a game-changing technology that utilises Woodwool and Honeycomb cooling pads for high air throw with optimum cooling, while staying durable and efficient with shockproof body. Aesthetically designed, comes with different speed options to control the cooling, large water tank capacity and inbuilt water-level indicator. Maharaja Whiteline Air Coolers are also cost-effective and available in a variety of sizes and models, these coolers are perfect for any home.

DESERT COOLERS

Characterized by their large tank capacity, big fan, and powerful motor. Maharaja Whitleine Desert Air Coolers are exceptionally durable and capable of cooling down large spaces with their superior air throw and delivery . Instant and long-lasting cooling. The reliable choice for peak summers!!



IDEAL FOR



Living Room



Restaurant



Shop



Gym



Party Hall

NEW
LAUNCH



MAXFROST 90

- **Tall Design** with 123 cm height
- **High Cooling Efficiency**
- **Air Delivery:** 4900 CMH & **Air Throw:** 52 ft
- **Castor Wheels** for easy portability
- **Variable Fan Speed Control**
- **4-Way Air Deflection**
- **Motorised Vertical Louvers**



90L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Fully Shut
Louvers



Tank
Auto-Fill



Dry Run
Protected
Submersible
Pump



Inverter
Compatible

Dimensions (LxWxH in cm): 63 x 43 x 123 | **Net Weight** (kg): 15.8

NEW
LAUNCH



AIR PRO 80

- **Contemporary Design**
The ultramodern aesthetics & Colors to compliment your style.
- **Air Delivery:** 5300 CMH & **Air Throw:** 45+ ft
- **Castor Wheels** for easy portability with Locks (front two)
- **High Cooling Efficiency**
- **Variable Fan Speed Control**
- **4-Way Air Deflection**
- **Motorised Vertical Louvers**



80L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Tank
Auto-Fill



Ice
Chamber



Dry Run
Protected
Submersible
Pump



Inverter
Compatible

80L - Dimensions (LxWxH in cm): 64 x 43 x 121 | **Net Weight** (kg): 19.5

Tank Auto-fill

Auto-fill automatically cuts the water supply when the tank gets full. Just attach the hose directly to the Air Cooler and never worry about it getting empty.

CMH : Cubic Meter Per Hour



AIR PRO 60

- **Contemporary Design**
The ultramodern aesthetics & Colors to compliment your style.
- **Air Delivery:** 5300 CMH & **Air Throw:** 45+ ft
- **Castor Wheels** for easy portability with Locks (front two)
- **High Cooling Efficiency** • **Variable Fan Speed Control**
- **4-Way Air Deflection** • **Motorised Vertical Louvers**



60L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Tank
Auto-Fill



Ice
Chamber



Dry Run
Protected
Submersible
Pump



Inverter
Compatible

60L - Dimensions (LxWxH in cm): 64.5 x 44 x 110 | **Net Weight** (kg): 18.5



PROWAVE SUPER 65 REMOTE PROWAVE SUPER 65

- **Soft Touch Panel & Remote Control** (Prowave Super 65 Remote)
- **Air Delivery:** 5000 CMH & **Air Throw:** 52 ft
- **Sleek Design:** intelligently designed Air suction panel for maximized intake
- **High Cooling Efficiency** • **Castor Wheels** for easy portability
- **Variable Fan Speed Control** • **4-Way Air Deflection**
- **Motorised Vertical Louvers**



65L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Anti-Bacterial
Tank



Ice
Chamber



Dry Run
Protected
Submersible
Pump



Inverter
Compatible

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | **Net Weight** (kg): 15.8

Tank Auto-fill

Auto-fill automatically cuts the water supply when the tank gets full. Just attach the hose directly to the Air Cooler and never worry about it getting empty.

CMH : Cubic Meter Per Hour



HYBRIDCOOL 65 REMOTE HYBRIDCOOL 55 REMOTE

- **Soft Touch Panel & Remote Control**
- **Air Delivery:** 5000 CMH & **Air Throw:** 52 ft
- **Sleek Design:** intelligently designed Air suction panel for maximized intake
- **Exceptional Cooling Efficiency**
- **Castor wheels** for easy portability with Locks (front two)
- **Variable Fan Speed Control** • **4-Way Air Deflection**
- **Motorised Vertical Louvers**



65L & 55L
Water Tank
Capacity



Unique Hybrid
Cooling Tech
(Additional benefit of
2 Cooling Pads)



Anti-Bacterial
Tank



Ice
Chamber



Dry Run
Protected
Submersible
Pump



Inverter
Compatible

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | **Net Weight (kg):** 15.8

55L - Dimensions (LxWxH in cm): 60.2 x 45 x 118 | **Net Weight (kg):** 15.5



HYBRIDCOOL 65 HYBRIDCOOL 55

- **Air Deliver:** 5000 CMH & **Air Throw:** 52 ft
- **Exceptional Cooling efficiency**
- **Sleek Design:** intelligently designed Air suction panel for maximized intake
- **Castor Wheels** for easy portability with Locks (front two)
- **Variable Fan Speed Control** • **4-Way Air Deflection**
- **Motorised Vertical Louvers**



65L & 55L
Water Tank
Capacity



Unique Hybrid
Cooling Tech
(Additional benefit of
2 Cooling Pads)



Anti-Bacterial
Tank



Ice
Chamber



Dry Run
Protected
Submersible
Pump



Inverter
Compatible

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | **Net Weight (kg):** 15.8

55L - Dimensions (LxWxH in cm): 60.2 x 45 x 118 | **Net Weight (kg):** 15.5



GLACIO PRIME 65

- **Air Delivery:** 4800 CMH & **Air Throw:** 43 ft
- **Sleek Design:** Intelligently designed Air suction panel for maximized intake
- **Castor Wheels** for easy portability with Locks (front two)
- **Variable Fan Speed Control.**
- **4-Way Air Deflection**
- **Motorised Vertical Louvers**



65L
Water Tank
Capacity



Woodwool
Pads



Anti-Bacterial
Tank



Ice
Chamber



Dry Run
Protected
Submersible
Pump



Inverter
Compatible

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | **Net Weight** (kg): 15.8



SUPER GRAND 70 PLUS SUPER GRAND 70

- **Air Delivery** (Super Grand 70 Plus) : 6000 CMH & **Air Throw:** 60 ft
- **Air Delivery** (Super Grand 70): 5000 CMH & **Air Throw:** 50 ft
- **Larger Fan size of 45.72cms resulting in higher air delivery and air throw**
- **Aroma Chamber**
- **Variable Fan Speed Control with Stylish Chrome Knobs** (Super Grand 70 Plus)
- **4-Way Air Deflection** • **Inverter Compatible**
- **Motorised Vertical Louvers**



70L
Water Tank
Capacity



Honeycomb
Cooling
Technology
(Super Grand 70 Plus)



Woodwool
Pads
(Super Grand 70)



Tank
Auto-Fill



Dry Run
Protected
Submersible
Pump



Anti-Bacterial
Tank

Dimensions (LxWxH in cm): 69 x 69 x 87

Net Weight (kg): 18.5 (Super Grand 70 Plus) | 18 (Super Grand 70)

Trolley Available. To be purchased separately



BRAVO HYBRIDCOOL 65 BRAVO PRIME

- **Air Delivery** (Bravo Hybridcool 65) : 5500 CMH & **Air Throw:** 52 ft
- **Air Delivery** (Bravo Prime) : 5100 CMH & **Air Throw:** 50 ft
- **Larger Fan size** of 45.72cms resulting in higher air delivery and air throw
- **Aroma Chamber** • **Ice Chamber**
- **Variable Fan speed control with Stylish Chrome Knobs** (Bravo Hybridcool 65)
- **4-Way Air Deflection** • **Inverter Compatible**
- **Motorised Vertical Louvers** • **Auto Tank Fill feature**



65L
Water Tank
Capacity



Unique Hybrid
Cooling Tech
(Bravo Hybridcool 65)



Woodwool
Pads
(Bravo Prime)



Tank
Auto-Fill



Dry Run
Protected
Submersible
Pump



Anti-Bacterial
Tank

Dimensions (LxWxH in cm): 68 x 67 x 93

Net Weight (kg): 22.5 (Bravo Hybridcool 65) | 22.3 (Bravo Prime)

Trolley Available. To be purchased separately

PERSONAL COOLERS

Compact and highly portable, Maharaja Whiteline Personal air coolers are more of a personalized cooling solution meant for use in small spaces or in areas that do not need open cooling. In comparison to desert coolers, personal air coolers consume less energy and operate more quietly because of the blower operation.



IDEAL FOR





FROSTAIR 45

- **Air Delivery:** 1900 CMH & **Air Throw:** 30 ft
- **Eco-efficient Centrifugal Pump**
- **Variable Fan Speed Control**
- **4-Way Air Deflection**
- **Motorised Vertical Louvers**
- **Inverter Compatible**



42L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Dust Filter
Net



Ice
Chamber



Dry Run
Protected
Submersible
Pump



Anti-Bacterial
Tank

42L - Dimensions (LxWxH in cm): 50 x 35 x 87 | **Net Weight** (kg): 10



FROSTAIR 25

- **Air Delivery:** 1900 CMH & **Air Throw:** 30 ft
- **Eco-efficient Centrifugal Pump**
- **Variable Fan Speed Control**
- **4-Way Air Deflection**
- **Motorised Vertical Louvers**
- **Inverter Compatible**



22L
Water Tank
Capacity



Honeycomb
Cooling
Technology



Dust Filter
Net



Ice
Chamber



Dry Run
Protected
Submersible
Pump



Anti-Bacterial
Tank

22L - Dimensions (LxWxH in cm): 49 x 35.5 x 70 | **Net Weight** (kg): 9

TOWER COOLERS

Designed to fit in the smallest of spaces, Maharaja Whiteline Tower Air Coolers are Slim, Sleek and Elegant. These coolers throw air at a higher point as compared to other types of coolers, so their foremost benefit lies in their height

IDEAL FOR



Living Room



Study Room



Kids Room



Dining Area




Bedroom



Small Shop



Office





BLIZZARD DECO 55 REMOTE

BLIZZARD DECO 25 REMOTE

- **Soft Touch Panel & Remote Control**
- **Sleek, Tall Design with Premium Wooden Styled Panel with Chrome Inserts**
- **Air Delivery:** 1600 CMH & **Air Throw:** 25 ft
- **Eco-efficient Centrifugal Pump**
- **Variable Fan Speed Control**
- **4-Way Air Deflection** • **Motorised vertical louvers**



54L - Dimensions (LxWxH in cm): 38 x 44 x 129 | **Net Weight** (kg): 11.5

22L - Dimensions (LxWxH in cm): 36 x 37 x 97 | **Net Weight** (kg): 9.5



BLIZZARD DECO 55

BLIZZARD DECO 25

- **Sleek, Tall Design with Premium Wooden Styled Panel with Chrome Inserts**
- **Air Delivery:** 1600 CMH & **Air Throw:** 25 ft
- **Eco-efficient Centrifugal Pump**
- **Variable Fan Speed Control with Stylish Chrome Knobs**
- **4-Way Air Deflection** • **Motorised Vertical Louvers**



54L - Dimensions (LxWxH in cm): 38 x 44 x 129 | **Net Weight** (kg): 11.5

22L - Dimensions (LxWxH in cm): 36 x 37 x 97 | **Net Weight** (kg): 9.5

WINDOW COOLERS

As the name suggests, Window air coolers are meant to be fitted in the windows and thus they save you floor space which you can utilize for something else. Maharaja Whiteline Window Air Coolers are the best option for circulating fresh air inside the room as they pull the air directly from outside.



IDEAL FOR



Living Room



Study Room



Kids Room



Dining Area



Bedroom



Small Shop



Office

ARROW DELUX



- **Air Delivery:** 2500 CMH & **Air Throw:** 35 ft
- **Eco-efficient Centrifugal Pump**
- **Quadcool Technology for Maximum Cooling**
- **Variable Fan Speed Control**
- **4-Way Air Deflection**
- **Motorised Vertical Louvers**



50L
Water Tank
Capacity



Woodwool
Pads



Quadcool
Technology



High
Air Delivery
2500 CMH



Strong
Air Throw
10.67 Meter



Inverter
Compatible

50L - Dimensions (LxWxH in cm): 62 x 53 x 55.6 | **Net Weight** (kg): 12.5

Air Cooler Specifications



Category	Desert	Desert	Desert
Model	MAX FROST 90	AIR PRO 80	AIR PRO 60
Technical Specification			
Capacity (in Litres)	90	80	60
Cooling Technology	Honeycomb	Honeycomb	Honeycomb
Air Delivery (m ³ /h) Max	4900	5300	5300
Air Throw(m)	16	14	14
Cooling Area (m ²)	70	70	70
Fan/Blower	Fan	Fan	Fan
Control Panel	Knob Control	Knob Control	Knob Control
Power Consumption / Voltage	200W / 230V AC 50Hz	190W / 230V AC 50Hz	190W / 230V AC 50Hz
Speed Control Settings	3	3	3
Water Level Indicator	Yes	Yes	Yes
Fan/Blower Diameter (cm)	40.64	40.64	40.64
Product Dimensions (LxWxH)cm	63.0 x 43.0 x 123	64.0 x 43.0 x 121	64.5 x 44.0 x 110
Castor Wheels	Yes (5)	Yes (4)	Yes (4)
Net Weight (kg)	15.8	19.5	18.5
Remote	No	No	No
Auto Tank Fill	Yes	Yes	Yes
Ice Chamber	No	Yes	Yes
Insect/Dust Net	No	No	No
Motorised Louvers	Yes (Vertical)	Yes (Vertical)	Yes (Vertical)
Aroma Chamber	No	No	No
Warranty	12 Months	12 Months	12 Months

Air Cooler Specifications



Category	Desert	Desert	Desert	Desert
Model	PROWAVE SUPER 65 REMOTE	PROWAVE SUPER 65	HYBRIDCOOL 65 REMOTE	HYBRIDCOOL 65
Technical Specification				
Capacity (in Litres)	65	65	65	65
Cooling Technology	Honeycomb	Honeycomb	(Honeycomb + Wood Wool)	(Honeycomb + Wood Wool)
Air Delivery (m ³ /h) Max	5000	5000	5000	5000
Air Throw(m)	15.8	15.8	15.8	15.8
Cooling Area (m ²)	70	70	70	70
Fan/Blower	Fan	Fan	Fan	Fan
Control Panel	Digital / Soft Touch	Knob Control	Digital / Soft Touch	Knob Control
Power Consumption / Voltage	180W / 230V AC 50Hz	180W / 230V AC 50Hz	180W / 230V AC 50Hz	180W / 230V AC 50Hz
Speed Control Settings	3	3	3	3
Water Level Indicator	Yes	Yes	Yes	Yes
Fan/Blower Diameter (cm)	40.64	40.64	40.64	40.64
Product Dimensions (LxWxH)cm	60.2 x 45.0 x 124.5	60.2 x 45.0 x 124.5	60.2 x 45.0 x 124.5	60.2 x 45.0 x 124.5
Castor Wheels	Yes (4)	Yes (4)	Yes (4)	Yes (4)
Net Weight (kg)	15.8	15.8	15.8	15.8
Remote	Yes	No	Yes	No
Auto Tank Fill	No	No	No	No
Ice Chamber	Yes	Yes	Yes	Yes
Insect/Dust Net	No	No	No	No
Motorised Louvers	Yes (Vertical)	Yes (Vertical)	Yes (Vertical)	Yes (Vertical)
Aroma Chamber	No	No	No	No
Warranty	12 Months	12 Months	12 Months	12 Months

Air Cooler Specifications



Category	Desert	Desert	Desert
Model	HYBRIDCOOL 55 REMOTE	HYBRIDCOOL 55	GLACIO PRIME 65
Technical Specification			
Capacity (in Litres)	55	55	65
Cooling Technology	(Honeycomb + Wood Wool)	(Honeycomb + Wood Wool)	Wood Wool
Air Delivery (m ³ /h) Max	5000	5000	4800
Air Throw(m)	15.8	15.8	13.1
Cooling Area (m ²)	70	70	70
Fan/Blower	Fan	Fan	Fan
Control Panel	Digital / Soft Touch	Knob Control	Knob Control
Power Consumption / Voltage	180W / 230V AC 50Hz	180W / 230V AC 50Hz	180W / 230V AC 50Hz
Speed Control Settings	3	3	3
Water Level Indicator	Yes	Yes	Yes
Fan/Blower Diameter (cm)	40.64	40.64	40.64
Product Dimensions (LxWxH)cm	60.2 x 45.0 x 118	60.2 x 45.0 x 118	60.2 x 45.0 x 124.5
Castor Wheels	Yes (4)	Yes (4)	Yes (4)
Net Weight (kg)	15.5	15.5	15.8
Remote	Yes	No	No
Auto Tank Fill	Yes	Yes	Yes
Ice Chamber	Yes	Yes	Yes
Insect/Dust Net	No	No	No
Motorised Louvers	Yes (Vertical)	Yes (Vertical)	Yes (Vertical)
Aroma Chamber	No	No	No
Warranty	12 Months	12 Months	12 Months

Air Cooler Specifications



Category	Desert	Desert	Desert	Desert
Model	SUPER GRAND 70 PLUS	SUPER GRAND 70	BRAVO HYBRIDCOOL	BRAVO PRIME
Technical Specification				
Capacity (in Litres)	70	70	65	65
Cooling Technology	Honeycomb	Wood Wool	(Honeycomb + Wood Wool)	Wood Wool
Air Delivery (m ³ /h) Max	6000	5000	5500	5100
Air Throw(m)	18.2	15.2	15.8	15.2
Cooling Area (m ²)	70	70	70	70
Fan/Blower	Fan	Fan	Fan	Fan
Control Panel	Knob Control	Knob Control	Knob Control	Knob Control
Power Consumption / Voltage	165W / 230V AC 50Hz	165W / 230V AC 50Hz	165W / 230V AC 50Hz	165W / 230V AC 50Hz
Speed Control Settings	3	3	3	3
Water Level Indicator	Yes	Yes	Yes	Yes
Fan/Blower Diameter (cm)	45.72	45.72	45.72	45.72
Product Dimensions (LxWxH)cm	69.0 x 69.0 x 87.0	69.0 x 69.0 x 87.0	68.0 x 67.0 x 93.0	68.0 x 67.0 x 93.0
Castor Wheels	No	No	No	No
Net Weight (kg)	18.5	18	22.5	22.3
Remote	No	No	No	No
Auto Tank Fill	Yes	No	Yes	Yes
Ice Chamber	No	No	Yes	Yes
Insect/Dust Net	No	No	No	No
Motorised Louvers	Yes (Vertical)	Yes (Vertical)	Yes (Vertical)	Yes (Vertical)
Aroma Chamber	Yes	Yes	No	No
Warranty	12 Months	12 Months	12 Months	12 Months

Air Cooler Specifications



Category	Tower	Tower	Tower	Tower
Model	BLIZZARD DECO 55 REMOTE	BLIZZARD DECO 55	BLIZZARD DECO 25 REMOTE	BLIZZARD DECO 25
Technical Specification				
Capacity (in Litres)	54	54	22	22
Cooling Technology	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Air Delivery (m ³ /h) Max	1600	1600	1600	1600
Air Throw(m)	7.6	7.6	7.6	7.6
Cooling Area (m ²)	15	15	15	15
Fan/Blower	Blower	Blower	Blower	Blower
Control Panel	Digital / Soft Touch	Knob Control	Digital / Soft Touch	Knob Control
Power Consumption / Voltage	125W / 230V AC 50Hz	125W / 230V AC 50Hz	125W / 230V AC 50Hz	125W / 230V AC 50Hz
Speed Control Settings	3	3	3	3
Water Level Indicator	Yes	Yes	Yes	Yes
Fan/Blower Diameter (cm)	20.32	20.32	20.32	20.32
Product Dimensions (LxWxH)cm	38.0 x 44.0 x 129.0	38.0 x 44.0 x 129	36.0 x 37.0 x 97.0	36.0 x 37.0 x 97.0
Castor Wheels	Yes (4)	Yes (4)	Yes (4)	Yes (4)
Net Weight (kg)	11.5	11.5	9.5	9.5
Remote	Yes	No	Yes	No
Auto Tank Fill	No	No	No	No
Ice Chamber	Yes	Yes	Yes	Yes
Insect/Dust Net	Yes	No	No	No
Motorised Louvers	Yes (Vertical)	Yes (Vertical)	Yes (Vertical)	Yes (Vertical)
Aroma Chamber	No	No	No	No
Warranty	12 Months	12 Months	12 Months	12 Months

Air Cooler Specifications



Category	Personal	Personal	Window
Model	FROSTAIR 45	FROSTAIR 25	ARROW DLX
Technical Specification			
Capacity (in Litres)	42	22	50
Cooling Technology	Honeycomb	Honeycomb	Wood Wool
Air Delivery (m ³ /h) Max	1900	1900	2500
Air Throw(m)	9.1	9.1	10.6
Cooling Area (m ²)	15	15	32.5
Fan/Blower	Blower	Blower	Blower
Control Panel	Knob Control	Knob Control	Knob Control
Power Consumption / Voltage	125W / 230V AC 50Hz	125W / 230V AC 50Hz	220W / 230V AC 50Hz
Speed Control Settings	3	3	3
Water Level Indicator	Yes	Yes	Yes
Fan/Blower Diameter (cm)	20.32	20.32	20.32
Product Dimensions (LxWxH)cm	50.0 x 35.0 x 87.0	49.0 x 35.5 x 70.0	62.0 x 53.0 x 55.6
Castor Wheels	Yes (4)	Yes (4)	No
Net Weight (kg)	10.0	9.0	12.5
Remote	No	No	No
Auto Tank Fill	No	No	No
Ice Chamber	Yes	Yes	No
Insect/Dust Net	Yes	Yes	No
Motorised Louvers	Yes (Vertical)	Yes (Vertical)	Yes (Vertical)
Aroma Chamber	No	No	No
Warranty	12 Months	12 Months	12 Months

NOTES

NOTES

MAHARAJA[®]
— WHITELINE —



GROUPE SEB INDIA PVT. LTD.

215-220, Vipul Plaza, Suncity, Golf Course Road
Sector - 54, Gurugram - 122011, Haryana, India

MAHARAJA CARE:  8860505777, 8860555777  8860555777

www.maharajawhiteline.com

As a part of continuous R&D improvements - products, images, product specifications are subject to change without notice.
Product images are for reference only.

*Maharaja Whiteline[®] is registered trademark of Groupe SEB India Pvt Limited.